

Apostol, C.A.; Hay, M.; Polt, R. Glycopeptide drugs: A pharmacological dimension between “Small Molecules” and “Biologics.” *Peptides* **131**, 170369 (2020).

<https://doi.org/10.1016/j.peptides.2020.170369>

Burgess, G.E.; Polt, R.; Rice, K.C.; Jutkiewicz, E.M. Characterization of Delta Opioid Receptor Activity of MMP2200, a Mixed Efficacy Mu and Delta Opioid Receptor Agonist. *FASEB Journal* 18 April 2020

<https://doi.org/10.1096/fasebj.2020.34.s1.05714>

Stevenson, G.W.; Giuvelis, D.; Cormier, J.; Cone, K.; Atherton, P.; Krivitsky, R.; Warner, E.; Laurent, B.; Dutra J.; Bidlack, J.M.; Szabò, L.; Polt, R.; Bilsky, E.J. Behavioral pharmacology of the mixed-action delta-selective opioid receptor agonist BBI-11008: studies on acute, inflammatory and neuropathic pain, respiration, and drug self-administration. *Psychopharmacology* **237**, 1195—1208 (2020)

<https://doi.org/10.1007/s00213-019-05449-z>

Flores, A.J.; Bartlett, M.J.; Root, B.K.; Parent, K.L.; Heien, M.L.; Porreca, F.; Polt, R.; Sherman, S.J.; Falk, T. The combination of the opioid glycopeptide MMP-2200 and a NMDA receptor antagonist reduced L-DOPA-induced dyskinesia and MMP-2200 by itself reduced dopamine receptor 2-like agonist-induced dyskinesia. *Neuropsychopharmacology* **141**, 260—271 (2018)

<https://doi.org/10.1016/j.neuropharm.2018.09.005>

Lefever M, Li Y, Anglin B, Muthu, D, Lowery, JJ, Giuvelis D, Knapp BI, Bidlack, JM, Bilsky EJ, Polt R. Structural Requirements for CNS Active Opioid Glycopeptides. *J. Med. Chem.* **58**, 5728—5741 (2015).

<https://doi.org/10.1021/acs.jmedchem.5b00014>

Li Y, St. Louis L, Knapp BI, Muthu D, Anglin B, Giuvelis D, Bidlack JM, Bilsky EJ, Polt R. Amphipathic Helices Influence CNS Antinociceptive Activity of Glycopeptides Related to β -Endorphin. *J. Med. Chem.* **57**, 2237—2246 (2014). <https://doi.org/10.1021/jm400879w>

Mabrouk O, Falk T, Sherman SJ, Kennedy RT, Polt R. CNS penetration of the opioid glycopeptide MMP-2200: A microdialysis study. *Neurosci. Letters* **531**, 99—103 (2012).

<https://doi.org/10.1016/j.neulet.2012.10.029>

Lowery, J.J.; Raymond, T.J.; Giuvelis, D.; Bidlack, J.M.; Polt, R.; Bilsky, E.J. *In vivo* characterization of MMP-2200, a mixed delta/mu opioid agonist in mice. *J. Pharm. Exp. Ther.* **336**, 767—778 (2011).

<https://doi.org/10.1124/jpet.110.172866>

Yue, X; Falk, T; Zuniga, LA; Szabò, L; Porreca, F; Polt, R; Sherman, SJ Effects of the novel glycopeptide opioid agonist MMP-2200 in preclinical models of Parkinson's disease. *Brain Res.* **1413**, 72—83 (2011).

<https://doi.org/10.1016/j.brainres.2011.07.038>

Lowery JJ, Yeomans L, Keyari CM, Davis P, Porreca F, Knapp BI, Bidlack JM, Bilsky EJ, Polt R. Glycosylation improves the central effects of DAMGO. *Chem. Biol. Drug Design* **69**, 41—47 (2007).

<https://doi.org/10.1111/j.1747-0285.2007.00462.x>

Dhanasekaran M, Palian MM, Alves I, Yeomans L, Keyari CM, Davis P, Bilsky EJ, Egleton RD, Yamamura HI, Jacobsen NE, Tollin G, Hraby VJ, Porreca F, Polt R. Glycopeptides related to β -endorphin adopt helical amphipathic conformations in the presence of lipid bilayers. *J. Am. Chem. Soc.* **127**, 5435—5448 (2005).

<https://doi.org/10.1021/ja0432158>

Egleton, RD; Bilsky, EJ; Tollin, G; Dhanasekaran, M; Lowery, J; Alves, I; Davis, P; Porreca, F; Yamamura, HI; Yeomans, L; Keyari, CM; Polt, R Biousian glycopeptides penetrate the blood-brain barrier. *Tetrahedron Asymm.* **16**, 65—75 (2005).

<https://doi.org/10.1021/ja0268635>

Palian, M.M.; Boguslavsky, V.I.; O'Brien, D.F.; Polt, R. Glycopeptide-Membrane Interactions: Glycosyl Enkephalin Analogs Adopt Turn Conformations by NMR and CD in Amphipathic Media. *J. Am. Chem. Soc.* **125**, 5823—5831 (2003).

<https://doi.org/10.1021/ja0268635>

Egleton, R.D.; Mitchell, S.A.; Huber, J.D.; Palian, M.M.; Polt, R.; Davis, T.P. Improved Blood-Brain Barrier Penetration and Enhanced Analgesia of an Opioid Peptide by Glycosylation. *J. Pharm. Exp. Ther.* **299**, 967—972 (2001).

[https://doi.org/10.1016/s0006-8993\(00\)02794-3](https://doi.org/10.1016/s0006-8993(00)02794-3)

Polt, R.; Porreca, F.; Szabò, L.Z.; Bilsky, E.J.; Davis, P.; Davis, T.P.; Horvath, R.; McCormick, J.M.; Yamamura, H.I.; Hruby, V.J. Glycopeptide enkephalin analogs produce analgesia in mice: Evidence for penetration of the blood-brain barrier. *Proc. Nat. Acad. Sci. USA* **91**, 7114—7118 (1994).
<https://doi.10.1073/pnas.91.15.7114>